Mix ID Number:	TG4000 (tailgate)		Date:	1/16/24			
Design Strength:	40	000 psi	Plant:	Estacad	а		
	27.	58 MPa	Designed By:	Ben Web	er - Ash Gro	ove	
MIX DESIGN QUANTITIES			English Unit	s			
Material	Product/Source	Spec Grav		Weight lb		Volume (ft3)	
Cement	Ash Grove Durkee Type IL	3.12		580		2.98	
GGBFS	Ash Grove Dura Slag FHS1	.00 2.90		Θ		0.00	
Silica Fume	Basf	2.20		Θ		0.00	
Water (Total)	Municipal Well Source	1.00		270		4.33	
3/4" - #4	Estacada Pit	2.68*		1210		7.23	
3/8" - #4	Estacada Pit	2.65*		586		3.54	
Fine Aggregate	Estacada Pit	2.52*		1190		7.57	
	Total Mix Weight			3836	-		
	Air (Entrap/Entrain)	5%				1.35	
	Total Mix Volume					27.00	-
ADMIXTURES							
Product	Product Name / Type	Dosage	Rates		Dosage (En	glish)	
Air Entrainment	Euclid AEA 925	0.78	oz/cwt**		4.5	oz/cy**	
Water Reducer	Euclid Econ WR91	5.00	oz/cwt**		29.0	oz/cy**	
Superplasticizer	Euclid Plastol 6400	0.00	oz/cwt**		0.0	oz/cy**	
Waterproofing		0.00	oz/cwt**		0.0	oz/cy**	
Hydration Stabilizer		0.00	oz/cwt**		0.0	oz/cy**	
Fibers		Θ	lb/cy**		0.0	lb/cy**	
MIX DESIGN PROPERTIES							
Aggregate Properties	:	SG	Abs	FM	Dry Rodded	Unit Wt	
	3/4" - #4	2.87	3.1%	n/a	104.5	pcf	
	3/8" - #4	2.65	3.8%	n/a	99.0	pcf	
	Fine Aggregate	2.52	6.0%	2.90	n/a		
Plastic Properties:		Slump:	5.0 ±	1.0"			
	Air	Content:	5.0 ±	1.0%			
	Uni	t Weight:	142.07	pcf		2273.19	kg/m3
Design Properties:	Total Ceme	ntitious:	580	lb		345	kg
	Slag Rep	lacement:	0.00	%	W/C Ratio:	0.47	(Incl Admix)
Project:							
Contractor:							
Comments:	This mix design will exceed	d the requi	red laboratory	/ strength	ı when slumps	6.0" or	less.
Footnotes:	*SSD Weights and Spec Gravities. **Admixture dosage rates will be adjusted according to manufacturers recommendations to accommodate varying field conditions.						

Concrete Mix Design - Volume Concrete - Dispatch (971) 219-8604 - www.volumeconcrete.com

This mix design is predicated on the specific information and/or materials provided by the customer and therefore, Ash Grove makes no representation or warranties concerning their application to general field use where other variables may occur. Change in design components or proportions, material gradations and/or field placement and curing practices will all strongly affect the ultimate quality of the concrete. User should confirm each laboratory design with concrete batched on site and then routinely run quality control checks to verify yield, air content and compressive strength because the physical and chemical characteristics of materials may vary.

Visit <u>www.volumeconcrete.com</u> to learn more (i.e., policies, MSDS, about us, and additional mix designs. Now offering LDCC Low density Cellular Concrete for pipe abandonment, sewer abandonment and excellent for backfill thanks to a low lateral pressure and weight. LDCC is available in 27 lbs. per cubic foot & up to 100 lbs. per cubic foot. Permeable and non-permeable LDCC depending on application.

ASH GROVE CEMENT COMPANY



Durkee Plant 33060 Shirttail Creek Rd Durkee, Oregon 97905 Phone #: (541)-877-2607

Blended Cement Type: IL(8) (HS)

Production Period February 1, 2024 - February 29, 2024 ASTM C595/C595M Date: March 11, 2024 REQUIREMENTS

Lot: 224 CHEMICAL PHYSICAL Item Test Result Item Spec. Limit Spec. Limit Test Result Sulfate as SO₃ (%) 3.0 max^A 3.0 Air content of mortar (volume %) 12 max 2.6 10.0 max 4.2 Blaine Fineness (m²/kg) 407 Loss on ignition (%) в Equivalent alkali content of Portland Fineness, No. 325 sieve (% retained) в 1.8 в 0.49 Cement (Na₂O_{eq} %)^F В Density (g/cm³) 3.12 Limestone (%) >5 and ≤15 7.9 Compressive strength (psi) в CaCO₃ in limestone (%) 70 min 97 1 day 2,169 3 days 1,890 min 4,347 7 days 2.900 min 5.376 3,620 min 28 days^E 6,712 Time of initial setting (Vicat) Not less than (minutes) 45 112 Not more than (minutes) 420 Heat of hydration, C1702/1702M, (kJ/kg)^C в 3 days 291 Mortar Bar Expansion, C1038/C1038M, (%)^C 0.020 max^D Optional information 0.020 Equivalent alkali content of finished Sulfate resistance, C1012/1012M, (%) $^{\rm C}$ в 0.49 $\frac{cement}{^{A}Default table maximum may be exceeded if Test Method ASTM C1038/C1038M limit is met.}$ Expansion at 180 days 0.05 max 0.03

^B Not applicable.

^c Test results for this production period not available. Most recent test result provided.

 $^{\rm D}$ Required only if percent ${\rm SO}_3$ exceeds the limit in Table 1.

^E Test result based on most recent monthly production time period.

^F As per ASTM C1778, Portland Cement is defined as "Clinker + Gypsum" constituents and is to be used for calculating equivalent alkalis in the base cement.

We certify that the above described blended cement, at the time of shipment, meets the chemical and physical requirements of the ASTM C595/C595M Type IL(HS) and AASHTO M240 Blended Hydraulic Cement specifications.



Laboratory Supervisor Title:

ISF